

CELLA

BV122S BLACK



Appliance Designation	Beverage Cooler
GTIN	5061068710077
EEL Class	C
Rated EEI	158.86
Noise Level dB(A)	43
Noise Class	D
Rated annual energy consumption	365 (kWh/annum)
Climate Class	0, 1, 2, 3, 4, 5, 6, 7, 8
Compressor	Embraco Inverter Compressor
Refrigerant	R600a
Fan Assisted Cooling	Yes
Ventilation Required	Plinth Ventilation
Temperature Range	1-18°C
Zone Type	Single Zone
Defrosting Type	Manual
Installation	Freestanding / Built-in
Door	Black glass door / 2 layer Low-E glass
Door Handle	Recessed handle
Door Open Direction	From left side
Reversible Door	Yes
Door-Open Alarm Function	Yes
Lock	Yes
Capacity (L)	336
Standard Storage Quantity	315 Cans (330ml)
Shelves	7pcs glass shelves
Shelf Type	Sliding only
Light	Warm White LED - 4000K
Auto. Lighting Function	Included
Control	LCD Touch Control
Control Display Colour	White
Charcoal Filter	Included
Carbon Filter	Yes - replace every 12 months
Heating Ability	Not Required
Internal Humidity	50-90%
Vibration Free	Yes
Power Lead Length	1.5m
Adjustable Feet	Yes - 25mm
Warranty	3 Years Parts & Labour

Body Dimension / Weight

W595 x D570 x H1790mm

91(kg)

Packing Dimension / Weight

W740 x D715 x H1995mm


112(kg)




Minimum ambient temperature
for which the refrigerating
appliance is suitable is 10°C

Maximum ambient temperature
for which the refrigerating
appliance is suitable is 25°C

Bottle Loading




Energy Label






Installation Diagrams

Front View

Side View



Top View



CELLA

W93D BLACK



Appliance Designation	Wine Storage
GTIN	5061068710060
EEL Class	G
Rated EEI	161.4
Noise Level dB(A)	43
Noise Class	D
Rated annual energy consumption	158 (kWh/annum)
Climate Class	N
Compressor	Embraco Inverter Compressor
Refrigerant	R600a
Fan Assisted Cooling	Yes
Ventilation Required	Plinth Ventilation
Temperature Range	Upper: 5-20°C / Lower: 5-20°C
Zone Type	Dual Zone
Defrosting Type	Manual
Installation	Freestanding / Built-in
Door	Black glass door / 2 layer Low-E glass
Door Handle	Recessed handle
Door Open Direction	From left side
Reversible Door	Yes
Door-Open Alarm Function	Yes
Lock	Yes
Capacity (L)	318
Standard Storage Quantity	99 Bottles
Shelves	6pcs shelves and 1 short shelf
Shelf Type	Telescopic - 80% extendable
Light	Warm White LED - 4000K
Auto. Lighting Function	Included
Control	LCD Touch Control
Control Display Colour	White
Charcoal Filter	Included
Carbon Filter	Yes - replace every 12 months
Heating Ability	Yes
Internal Humidity	50-85%
Vibration Free	Yes
Power Lead Length	1.5m
Adjustable Feet	Yes - 25mm
Warranty	3 Years Parts & Labour

Body Dimension / Weight

W595 x D570 x H1790mm

94(kg)

Packing Dimension / Weight

W740 x D715 x H1995mm

114(kg)




**Minimum ambient temperature
for which the refrigerating
appliance is suitable is 16°C**

**Maximum ambient temperature
for which the refrigerating
appliance is suitable is 32 °C**

Bottle Loading

Energy Label

W93D




158 kWh/annum




91827/01/02


Installation Diagrams



Top View



Front View



Side View

